

Supplementary material for:

Shanklin, J. & Tribe, H. (2017) Fungi in the Cambridge Botanic Garden. *Nature in Cambridgeshire* **59**: 3 - 6

A checklist of common fungi in the Botanic Garden

This list gives the Latin names of the more common species of fungi found by the Cambridge Natural History Society during autumn visits to the Garden between 2001 and 2016. The species named in bold are the ones that are most distinctive, though some are very small. Descriptions of the fungi are in the Collins Fungi Guide by Stefan Buczacki. It is often not possible to identify species beyond genus level, and for some it can be difficult to even get that far!

Agaricus xanthodermus	Inonotus dryadeus
Agaricus campestris	Lachnum brevipilosum
Agaricus bresadolianus	Laetiporus sulphureus
Armillaria mellea	Lepiota cristata
Auricularia auricula-judae	Lepiota aspera
Auricularia mesenterica	Lepista nuda
Bjerkandera adusta	Lyophyllum decastes
Chlorophyllum rhacodes	Melanoleuca polioleuca
Chondrostereum purpureum	Melastiza cf cornubiensis
Clavulina cinerea	Mycena galericulata
Clitocybe nebularis	Mycena inclinata
Coniophora puteana	Nectria cinnabarina
Coprinellus micaceus	Parasola plicatilis
Coprinellus dissimatus	Paxillus involutus
Coprinopsis lagopus	Pholiota squarrosa
Coprinopsis picacea	Pleurotus ostreatus
Coprinopsis atramentaria	Pluteus cervinus
Cortinarius paleaceus	Polyporus squamosus
Cyathus olla	Polyporus durus
Cyathus striatus	Psathyrella conopilus
Daedaleopsis confragosa	Psathyrella spadicea
Erysiphe trifolii	Psathyrella corrugis
Erysiphe heraclei	Ramaria stricta
Erysiphe cichoracearum	Rhytisma acerinum
Flammulina velutipes	Rigidoporus ulmarius
Ganoderma australe	Stropharia aeruginosa
Ganoderma applanatum	Stropharia caerulea
Geastrum triplex	Trametes versicolor
Geastrum fimbriatum	Trametes gibbosa
Hebeloma crustuliniforme	Tubaria furfuracea
Hebeloma mesophaeum	Volvariella gloiocephala
Helvella crispa	Xerula radicata
Hypholoma fasciculare	Xylaria hypoxylon
Inonotus hispidus	Xylaria polymorpha